


GhediniBT szériás sövényvágó adapterek




Típus	BT50	BT51	BT52	BT53	BT54
Mekkora gépre? (tonna)	0,7-1,2	1,3-2,5	2,6-4	4-5	2-2,5
Munkaszélesség(mm)	1200	1200	1200	1200	1600
Max. olajigény (liter/perc)	19	26	40	50	26
Max. nyomás (Bar)	180	180	180	180	180
Súly (kg)	42	42	42	42	55

Típus	BT55	BT56	BT57	BT58	BT59
Mekkora gépre? (tonna)	2,6-4	4-5	2-2,5	2,6-4	4-5
Munkaszélesség(mm)	1600	1600	1800	1800	1800
Ajánlott olajigény (liter/perc)	40	50	26	40	50
Max. nyomás (Bar)	180	180	180	180	180
Súly (kg)	55	55	64	64	64



Méretetek:

	A (mm)	B (mm)	C (mm)	H (mm)
BT50	1200	1270	300	50
BT51	1200	1270	300	50
BT52	1200	1270	300	50
BT53	1200	1270	300	50
BT54	1600	1670	300	50
BT55	1600	1670	300	50
BT56	1600	1670	300	50
BT57	1800	1870	300	50
BT58	1800	1870	300	50
BT59	1800	1870	300	50






Típus	BT75
Mekkora gépre? (tonna)	2,5-8
Munkaszélesség(mm)	1500
Max. olajigény (liter/perc)	40
Max. nyomás (Bar)	140
Súly (kg)	110



Nadstavce na plotostrihy Ghedini série BT




Typ	BT50	BT51	BT52	BT53	BT54
Na stroje (ton)	0,7-1,2	1,3-2,5	2,6-4	4-5	2-2,5
Pracovná šírka(mm)	1200	1200	1200	1200	1600
Max. prietok oleja (lit/min)	19	26	40	50	26
Max. tlak (Bar)	180	180	180	180	180
Váha (kg)	42	42	42	42	55

Typ	BT55	BT56	BT57	BT58	BT59
Na stroje (ton)	2,6-4	4-5	2-2,5	2,6-4	4-5
Pracovná šírka (mm)	1600	1600	1800	1800	1800
Prietok oleja (lit/min)	40	50	26	40	50
Max. tlak (Bar)	180	180	180	180	180
Váha (kg)	55	55	64	64	64

Rozmery:

	A (mm)	B (mm)	C (mm)	H (mm)
BT50	1200	1270	300	50
BT51	1200	1270	300	50
BT52	1200	1270	300	50
BT53	1200	1270	300	50
BT54	1600	1670	300	50
BT55	1600	1670	300	50
BT56	1600	1670	300	50
BT57	1800	1870	300	50
BT58	1800	1870	300	50
BT59	1800	1870	300	50





Typ	BT75
Na stroje(ton)	2,5-8
Pracovná šírka (mm)	1500
Max. prietok oleja (lit/min)	40
Max. tlak (Bar)	140
Váha (kg)	110

