

GhediniIP szériás cölöpverő adapter




Típus	IP22	IP23	IP24	IP25	IP31
Mekkora gépre? (tonna)	1-1,5	1,6-2	2,1-2,5	2,6-3,4	3,5-4,5
Tömörítő erő kg/mq	2000	2200	2400	3600	4500
Max. olajigény (liter/perc)	26	36	44	55	66
Max. nyomás (Bar)	250	250	250	250	250
Súly (kg)	190	190	190	190	230

Típus	IP32	IP33	IP53	IP54	IP55
Mekkora gépre? (tonna)	4,6-6,5	6,6-10	11-15	15-18	18-25
Tömörítő erő kg/mq	6000	14400	15000	16500	18000
Max. olajigény (liter/perc)	80	100	130	160	200
Max. nyomás (Bar)	250	250	250	250	250
Súly (kg)	230	230	650	650	650



Cölöpverő kiegészítő




Tömörítőlap



Előfuró

Méreték:

	A (mm)	B (mm)	H (mm)	C (mm)
IP22	684	770	475	330
IP23	684	770	475	330
IP24	684	770	475	330
IP25	684	770	475	330
IP26	684	770	475	330
IP31	720	810	480	360
IP32	720	810	480	360
IP33	720	810	480	360
IP53	1195	1400	665	440
IP54	1195	1400	665	440
IP55	1195	1400	665	440



Választható kiegészítő adapterek:

QP27



QP28



QP36



QP39



Típus	QP27	QP28	QP36	QP39
Max. olajigény (liter/perc)	40			
Max. nyomás (Bar)	60		80	
Min-Max nyitás (mm)	20-320		60-360	
Súly (kg)	100	110	150	250
Mekkora gépre? (tonna)	2,5-10		3,5-11	12-25

Baranidlo Ghedini serie IP




TYP	IP22	IP23	IP24	IP25	IP31
Váha stroja (ton)	1-1,5	1,6-2	2,1-2,5	2,6-3,4	3,5-4,5
Zhutňovacia sila kg/mq	2000	2200	2400	3600	4500
Max. prietok oleja (lit/min)	26	36	44	55	66
Max. tlak (Bar)	250	250	250	250	250
Váha (kg)	190	190	190	190	230

Typ	IP32	IP33	IP53	IP54	IP55
Váha stroja (ton)	4,6-6,5	6,6-10	11-15	15-18	18-25
Zhutňovacia sila kg/mq	6000	14400	15000	16500	18000
Max. prietok oleja(lit/min)	80	100	130	160	200
Max. tlak (Bar)	250	250	250	250	250
Váha (kg)	230	230	650	650	650



baranidlo




zhutňovacia doska



predvrtanie

Rozmery :

	A (mm)	B (mm)	H (mm)	C (mm)
IP22	684	770	475	330
IP23	684	770	475	330
IP24	684	770	475	330
IP25	684	770	475	330
IP26	684	770	475	330
IP31	720	810	480	360
IP32	720	810	480	360
IP33	720	810	480	360
IP53	1195	1400	665	440
IP54	1195	1400	665	440
IP55	1195	1400	665	440



Adaptéry :

QP27



QP28



QP36



QP39



Typ	QP27	QP28	QP36	QP39
Max. prietok oleja(liter/perc)	40			
Max. tlak (Bar)	60		80	
Min-Max otváranie (mm)	20-320		60-360	
Váha (kg)	100	110	150	250
Váha stroja (tonna)	2,5-10		3,5-11	12-25